#### **BUILDING SERVICES DEPARTMENT**

789 Broadway Street, Box 3000 Wyoming, ON NON 1TO Tel.: 519 845-5420 Toll Free: 1-866-324-6912 Fax: 519 845-3817 LAMBTON www.lambtononline.ca

> **Building, & Plumbing Permit Application**

# A. Time Frame for Building Permit Issuance

This table is for information only to explain the time allowed for review of a building permit application for a permit to be issued or refused.

# B. Checklist for Building Permit Applications

Please ensure that the Checklist For Building Permit Applications is reviewed, completed & signed.

# C. Application for a Permit to Construct or Demolish

The Application for a Permit to Construct or Demolish must be completed. Also required is a site plan, lot grading plan & two copies of blueprints and/or plans.

## D. <u>Schedule 1: Designer Information</u>

Schedule 1 – Designer Information must be completed by every person engaged in the business of providing design activities unless exempt from the requirement under Section. 2.17.4.1 (3).

# E. Schedule A: Plumbing Permit Application

This schedule, as well as the Application for a Permit to Construct or Demolish, must be completed to obtain a plumbing permit.

# TIME FRAME FOR THE ISSUANCE OF BUILDING PERMITS

A building permit shall be issued in accordance with Table 2.4.1.1B of the Building Code unless:

- (a). the proposed building, construction or demolition will contravene the Building Code Act, the Building Code, or any other applicable law;
- (b). the applicant is a builder or vendor as defined in the Ontario New Home Warranties Plan Act and is not registered under that Act;
- (c). a person who prepared drawings, plans, specifications or other documents or gave an opinion concerning the compliance of the proposed building or construction with the building code does not have the applicable qualifications, if any, set out in the building code or does not have the insurance, if any, required by the building code;
- (d). the plans review certificate, if any, required for the application does not contain the prescribed information;
- (e). the application for the permit is not complete; or
- (f). any fees due have not been paid.

Table 2.4.1.1B

The period within which a building permit shall be issued or refused.

Row Number	Class of Building	Time Period
1	(a). A detached house, semi-detached house, townhouse or row house where no dwelling unit is located above another dwelling unit.	
	(b). A detached structure that serves a building described in Clause (a) and does not exceed 50 m <sup>2</sup> in building area.	10 days
	(c). A tent to which Section 3.13 of the building code applies.	
	(d). A sign to which Section 3.14 of the building code applies.	
2	(a). Buildings described in Clauses 2.1.1.3.(1)(a),(b) and (c) (Part 9 buildings) other than buildings described in Column 2 of any of Rows 1 and 4 of this table.	15 days
	(b). Farm buildings that do not exceed 600 m <sup>2</sup> in building area.	
3	(a). Buildings described in Clause 2.1.1.2.(1)(a) or (b) (Part 3 buildings), other than buildings in Column 2 of any of Rows 1 and 4 of this table.  (b). Farm buildings exceeding 600 m² in building area.	20 days
4	(a) Post-disaster buildings.	
	(b). Buildings to which Subsection 3.2.6. (high buildings and Group B buildings) or any provision in articles 3.2.8.2 to 3.2.8.11 applies.	30 days
Column 1	Column 2	Column 3

The time period above begins on the day on which a permit for the construction of a sewage system serving the building (if required) is issued as per 2.4.1.1B. (9)(c). The period within which a permit for a septic system shall be issued or refused is based on the class of building in the above table as per 2.4.1.1B. (8)(b).

# CHECKLIST FOR BUILDING PERMIT APPLICATIONS

(for Single and Semi-detached Dwellings, Additions, Renovations, Accessory Buildings, Garages, Pools, Wood Stoves)

### The Applicant must check the following items:

Is the application for the building permit completed fully and signed?
Is a plumbing permit required and is Schedule A completed fully and signed?
For buildings served by existing septic systems, is a septic assessment required? Is a copy of the assessment attached?
Is a septic permit required and has the Septic Application been submitted?
Are 2 copies of a site plan attached showing lot number, address, building
location, setbacks, lot dimensions, septic system, water well, easements and
right-of-ways, driveway entrance, utilities, topographical features, etc?
Are 2 copies of a lot grading plan attached?
Are 2 copies of the architectural drawings attached showing the following?
<ul> <li>foundation plan (showing type and height)</li> </ul>
- elevations
- floor plan of each floor
<ul> <li>finished basement plan if applicable</li> </ul>
- typical wall cross section
- longitudinal cross section, if applicable
- beam and lintel sizes
- joist sizes and spans
- manufactured floor joist systems, layout and design- roof truss, layout
and design
- mechanical design, HVAC heat/loss calculations, duct and ventilation
design, if applicable
Is designer information, Schedule 1, attached?
External approvals attached?
☐ Minor variance approval, if applicable
☐ Conservation Authority approval, if applicable
☐ Entrance permit/curb cut permit, if applicable
☐ Community Health Services Department approval, if
applicable

# Incomplete or missing items may cause delay in the processing of your permit.

Additional information on Energy Efficiency may be found on our website at <a href="https://www.lambtononline.ca">www.lambtononline.ca</a>

# Application for a Permit to Construct or Demolish This form is authorized under subsection 8(1.1) of the Building Code Act.

F	or use by P	rincip:	al Authorit	t <b>y</b>	-		
Application number:			number (if differe				
Date received:		Roll nur	mber:				
Application submitted to:(Name of municipa	ality, upper-tier mur	nicipality, bo	pard of health or co	onservatio	n authority)		
Project information							
Building number, street name				*	Unit number		Lot/con.
Municipality	Postal code		Plan number/o	other desc	cription		
Project value est. \$			Area of work (	m²)			
Purpose of application							-
☐ New construction ☐ Addition existing	building		ation/repair	<u> </u>	Demolition	0	Conditional Permit
Proposed use of building	Curre	ent use of	building				
Description of proposed work  Applicant	Owner o	~~ [	a. Authoriz		at of our	à	
Applicant is:	1 OMIGI C	_ ار	JAULIONZ	eu aye	ent of owner	ı	
Last name	First name		Corporation or	partners	hip		
Street address					Unit number		Lot/con.
Municipality	Postal code		Province		E-mail		
Telephone number ( )	Fax ( )				Cell number ( )		
Owner (if different from application)							
Last name	First name		Corporation or	partners	nip		
Street address					Unit number		Lot/con.
Municipality	Postal code		Province		E-mail	L.,	
Telephone number ( )	Fax ( )				Cell number		

Builder (optional)						
Last name	First name	Corporation or partners	hip (if applicat	le)		
Street address		· .	Unit number		Lot/con.	
Municipality	Postal code	Province	E-mail			
Telephone number ( )	Fax ( · )	·	Cell number			
Tarion Warranty Corporation (C						
<ol> <li>Is proposed construction for a new hom Plan Act? If no, go to section G.</li> </ol>	e as defined in the <i>Onta</i>	rio New Home Warranties	;   [	Yes		No
ii. Is registration required under the Ontar	io New Home Warranties	Plan Act?		Yes		No
ili. If yes to (ii) provide registration number	(s):				•	•
Required Schedules	(0)					
				··· ·······		
<ul> <li>i) Attach Schedule 1 for each individual who rev</li> <li>ii) Attach Schedule 2 where application is to cons</li> </ul>						
H. Completeness and complia	nce with applica	DIE IAW			1	
<ul> <li>This application meets all the requirements of Building Code (the application is made in the applicable fields have been completed on the schedules are submitted).</li> </ul>	correct form and by the o	wner or authorized agent	t, all ed	<b>l</b> Yes		No
Payment has been made of all fees that are regulation made under clause 7(1)(c) of the E is made.	equired, under the applic Building Code Act, 1992, to	able by-law, resolution or be paid when the applic	ation	Yes		No
ii) This application is accompanied by the plans resolution or regulation made under clause 7(	and specifications prescr 1)(b) of the <i>Building Cod</i>	ibed by the applicable by le Act, 1992.	-law,	l Yes		No
iii) This application is accompanied by the inform law, resolution or regulation made under claus the chief building official to determine whether contravene any applicable law.	se 7(1)(b) of the <i>Building</i>	Code Act. 1992 which en	able	l Yes		No
iv) The proposed building, construction or demoli	tion will not contravene a	ny applicable law.		Yes		No
I. Declaration of applicant	1					
(print name)			•	_decla	re that:	
<ol> <li>The information contained in this application documentation is true to the best of my leader.</li> <li>If the owner is a corporation or partnership.</li> </ol>	knowledge.			i other	attached	
Date	Signature of a	pplicant				

Personal information contained in this form and schedules is collected under the authority of subsection 8(1.1) of the *Building Code Act*, 1992, and will be used in the administration and enforcement of the *Building Code Act*, 1992. Questions about the collection of personal information may be addressed to: a) the Chief Building Official of the municipality or upper-tier municipality to which this application is being made, or, b) the inspector having the powers and duties of a chief building official in relation to sewage systems or plumbing for an upper-tier municipality, board of health or conservation authority to whom this application is made, or, c) Director, Building and Development Branch, Ministry of Municipal Affairs and Housing 777 Bay St., 2nd Floor. Toronto, M5G 2E5 (416) 585-6666.

# **Schedule 1: Designer Information**

Use one form for each individual who review	ws and takes re	sponsibility for design activi	ities with respect to	the project			
Project Information				110 0.000			
Building number, street name			Unit no.	Lot/con.			
Municipality	Postal code	Plan number/ other desc	ription				
Individual who reviews and	takes resp	onsibility for desi	ign activities	)			
Name		Firm	<u> </u>				
Street address			Unit no.	Lot/con.			
Municipality	Postal code	Province	E-mail				
Telephone number ( )	Fax number		Cell number				
Design activities undertaker	by individ	dual identification in (		D!!!' O!			
Design activities undertaker Table 3.5.2.1. of Division	i by maivid C]	quai identified in :	Section B. [i	Building Code			
☐ House	☐ HVAC	- House	Building	Structural			
Small Buildings		g Services		j – House			
Large Buildings		on, Lighting and Power	Plumbing	y - All Buildings			
Complex Buildings	☐ Fire Pro	otection	On-site S	Sewage Systems			
Description of designer's work							
Declaration of Designer							
<u> </u>			declare that (choos	e one as appropriate):			
(print name	∍)		•	,,,,,,,			
☐ I review and take responsibility	y for the design	work on behalf of a firm reg	jistered under subs	ection 3.2.4.of Division			
C, of the Building Code. I am of Individual BCIN:	quaimeu, anu m	e illin is registered, in the a	ppropriate classes/	categories.			
maividai boin.							
Firm BCIN:							
I review and take responsibility	. 6						
I review and take responsibility under subsection 3.2.5.of Divisional BCIN:	rior the design sion C, of the Bu	and am qualified in the app uilding Code.	ropriate category a	s an "other designer"			
Pagis for avamation from							
basis for exemption from	registration:						
The design work is exempt from	m the registratio	n and qualification requirer qualification:	ments of the Buildin	g Code.			
I certify that:	registration and	quainication		· · · · · · · · · · · · · · · · · · ·			
	chedule is true to	n the heet of my knowledge					
<ol> <li>The information contained in this schedule is true to the best of my knowledge.</li> <li>I have submitted this application with the knowledge and consent of the firm.</li> </ol>							
a. That o destinated this application wi	ar are wrowiedd	e and consent of the HM.					
Date		Signature of Designer					

#### NOTE:

- 1. For the purposes of this form, "individual" means the "person" referred to in Clause 3.2.4.7(1) d).of Division C, Article 3.2.5.1. of Division C, and all other persons who are exempt from qualification under Subsections 3.2.4. and 3.2.5. of Division C.
- Schedule 1 is not required to be completed by a holder of a license, temporary license, or a certificate of authorization, issued by the
  Ontario Association of Architects. Schedule 1 is also not required to be completed by a holder of a license to practise, or a certificate of authorization, issued by the Association of Professional Engineers of Ontario.

# **Energy Efficiency Design Summary**

(Part 9 Residential)

This form to be completed & signed by the person who reviews and takes responsibility for the energy efficiency design of the project Information on completing this form is contained on the reverse

Information on completing this form is contained on the reverse								
For use by Principal Authority								
Application No: Model/Certification Number								
A. Project Information								
Building number, street name					Unit number	Lol/Con		
Municipality		Postal	code	Reg. Plan number / other descrip	tion			
B. Compliance Option								
☐ SB-12 Prescriptive [SB-1	2 - 2.1.1.]		Table:	able: Package:				
☐ SB-12 Performance* [SI	3-12 - 2.1.	2.]	* Attach en	tach energy performance calculations using an approved software tach BOP form. House must be labeled on completion by Energy Star				
☐ Energy Star®* [SB-12 - 2.								
☐ EnerGuide 80®*				ist be evaluated by NRC				
C. Project Design Cond	itions		1100001110	- CValdated by WHO	an auvisor anu n	neet a failing of 80		
Climatic Zone (SB-1):		a Fauinme	ent Efficiency	Space Heating Fuel Sc	NILLO O			
□ Zone 1 (< 5000 degree days)		% AFUE	III Emoleticy		Propane	□ Solid Fuel		
□ Zone 2 (≥ 5000 degree days)	□ ≥ 78	% < 90% A	FUE	1	Electric ·	□ Earth Energy		
Windows+Skylights+Glass Doc	ors			Other Building Condition	ons			
Gross Wall Area = $m^2$ Gross Window+ Area = $m^2$	%\	Windows+	%		Walkout Baseme	nt □ Log/Post&Beam		
	<u> </u>			☐ ICF Above Grade ☐	Slab-on-ground			
D. Building Specificatio  Building Component	ns	DCI / I	<b>5</b>					
Thermal Insulation		RSI/I	R values	Building Comp Windows & Doors <sup>1</sup>	Efficiency Ratings			
Ceiling with Attic Space					Doors			
Ceiling with Attic Space Ceiling without Attic Space				Windows/Sliding Glass	Doors			
					Doors			
Ceiling without Attic Space				Windows/Sliding Glass Skylights Mechanicals	Doors			
Ceiling without Attic Space Exposed Floor				Windows/Sliding Glass Skylights Mechanicals Space Heating Equip. <sup>2</sup>	Doors			
Ceiling without Attic Space Exposed Floor Walls Above Grade				Windows/Sliding Glass Skylights Mechanicals Space Heating Equip. <sup>2</sup> HRV Efficiency (%)	Doors			
Ceiling without Attic Space Exposed Floor Walls Above Grade Basement Walls	de)			Windows/Sliding Glass Skylights Mechanicals Space Heating Equip. <sup>2</sup> HRV Efficiency (%) DHW Heater (EF) NOTES				
Ceiling without Attic Space Exposed Floor Walls Above Grade Basement Walls Slab (all >600mm below grade)				Windows/Sliding Glass Skylights Mechanicals Space Heating Equip. <sup>2</sup> HRV Efficiency (%) DHW Heater (EF) NOTES 1. Provide U-Value in W/m2.	K, or ER rating	ombined system used		
Ceiling without Attic Space Exposed Floor Walls Above Grade Basement Walls Slab (all >600mm below grade) Slab (edge only ≤600mm below grade, or he	eated)	ation [com	plete applicable	Windows/Sliding Glass Skylights Mechanicals Space Heating Equip. <sup>2</sup> HRV Efficiency (%) DHW Heater (EF) NOTES 1. Provide U-Value in W/m2. 2. Provide AFUE or indicate	K, or ER rating if condensing type c	ombined system used		
Ceiling without Attic Space Exposed Floor Walls Above Grade Basement Walls Slab (all >600mm below grade) Slab (edge only ≤600mm below grade, or he E. Performance Design SB-12 Performance:	eated) Verifica			Windows/Sliding Glass Skylights Mechanicals Space Heating Equip. <sup>2</sup> HRV Efficiency (%) DHW Heater (EF) NOTES 1. Provide U-Value in W/m2. 2. Provide AFUE or indicate sections if SB-12 Performance	K, or ER rating if condensing type c	ombined system used erGuide80 options used]		
Ceiling without Attic Space Exposed Floor Walls Above Grade Basement Walls Slab (all >600mm below grade) Slab (edge only ≤600mm below grade, or he E. Performance Design SB-12 Performance: The annual energy consumption	Verification using	Subsection	on 2.1.1. SB-	Windows/Sliding Glass Skylights Mechanicals Space Heating Equip. <sup>2</sup> HRV Efficiency (%) DHW Heater (EF) NOTES 1. Provide U-Value in W/m2. 2. Provide AFUE or indicate sections if SB-12 Performance	K, or ER rating if condensing type c e, Energy Star or End	ombined system used erGuide80 options used]		
Ceiling without Attic Space Exposed Floor Walls Above Grade Basement Walls Slab (all >600mm below grade) Slab (edge only ≤600mm below grade, or he E. Performance Design SB-12 Performance: The annual energy consumption	Verification using	Subsections Subsections	on 2.1.1. SB- s designed is	Windows/Sliding Glass Skylights Mechanicals Space Heating Equip. <sup>2</sup> HRV Efficiency (%) DHW Heater (EF) NOTES 1. Provide U-Value in W/m2. 2. Provide AFUE or indicate sections if SB-12 Performance 12 Package Gi	K, or ER rating if condensing type c e, Energy Star or End	erGuide80 options used]		
Ceiling without Attic Space Exposed Floor Walls Above Grade Basement Walls Slab (all >600mm below grade) Slab (edge only ≤600mm below grade, or he E. Performance Design SB-12 Performance: The annual energy consumption of the software used to simulate	Verification using on of this the ann	Subsections Subsections (Subsections)	on 2.1.1. SB- s designed is y use of the t	Windows/Sliding Glass Skylights Mechanicals Space Heating Equip. <sup>2</sup> HRV Efficiency (%) DHW Heater (EF) NOTES 1. Provide U-Value in W/m2. 2. Provide AFUE or indicate sections if SB-12 Performance 12 Package Gj puilding is:	K, or ER rating if condensing type coording. Energy Star or End	erGuide80 options used]		
Ceiling without Attic Space Exposed Floor Walls Above Grade Basement Walls Slab (all >600mm below grade) Slab (edge only ≤600mm below grade, or he E. Performance Design SB-12 Performance: The annual energy consumption the annual energy consumption the software used to simulate the building is being designed.	verification using on of this the annulusing a	Subsections Subsections (1) Su	on 2.1.1. SB- s designed is y use of the b age of	Windows/Sliding Glass Skylights  Mechanicals Space Heating Equip. <sup>2</sup> HRV Efficiency (%) DHW Heater (EF) NOTES 1. Provide U-Value in W/m2. 2. Provide AFUE or indicate sections if SB-12 Performance 12 Package	K, or ER rating if condensing type coording. Energy Star or End	erGuide80 options used]		
Ceiling without Attic Space Exposed Floor Walls Above Grade Basement Walls Slab (all >600mm below grade) Slab (edge only ≤600mm below grade, or he Slab (all ≤600mm below grade, or he E. Performance Design SB-12 Performance: The annual energy consumption the annual energy consumption the software used to simulate the building is being designed Energy Star. BOP form attached	verification using on of this the annual using a led. The	Subsections Subsections (1) Su	on 2.1.1. SB- s designed is y use of the b age of	Windows/Sliding Glass Skylights  Mechanicals Space Heating Equip. <sup>2</sup> HRV Efficiency (%) DHW Heater (EF) NOTES 1. Provide U-Value in W/m2. 2. Provide AFUE or indicate sections if SB-12 Performance 12 Package	K, or ER rating if condensing type coording. Energy Star or End	erGuide80 options used]		
Ceiling without Attic Space Exposed Floor Walls Above Grade Basement Walls Slab (all >600mm below grade) Slab (edge only ≤600mm below grade, or he E. Performance Design SB-12 Performance: The annual energy consumption the annual energy consumption the software used to simulate the building is being designed.	verification using on of this the annual using a led. The	Subsections Subsections (1) Su	on 2.1.1. SB- s designed is y use of the b age of	Windows/Sliding Glass Skylights  Mechanicals Space Heating Equip. <sup>2</sup> HRV Efficiency (%) DHW Heater (EF) NOTES 1. Provide U-Value in W/m2. 2. Provide AFUE or indicate sections if SB-12 Performance 12 Package	K, or ER rating if condensing type condensing type on the condensing type on the condensity of the con	erGuide80 options used]		
Ceiling without Attic Space Exposed Floor Walls Above Grade Basement Walls Slab (all >600mm below grade) Slab (edge only ≤600mm below grade, or he Slab (all ≤600mm below grade, or he E. Performance Design SB-12 Performance: The annual energy consumption the annual energy consumption the software used to simulate the building is being designed Energy Star. BOP form attached	verification using on of this the annual using a led. The	Subsections Subsections (1) Su	on 2.1.1. SB- s designed is y use of the b age of	Windows/Sliding Glass Skylights  Mechanicals Space Heating Equip. <sup>2</sup> HRV Efficiency (%) DHW Heater (EF) NOTES 1. Provide U-Value in W/m2. 2. Provide AFUE or indicate sections if SB-12 Performance 12 Package	K, or ER rating if condensing type condensing type on the condensing type on the condensity of the con	erGuide80 options used]		
Ceiling without Attic Space Exposed Floor Walls Above Grade Basement Walls Slab (all >600mm below grade) Slab (edge only ≤600mm below grade, or he Slab (all ≤600mm below grade, or he E. Performance Design SB-12 Performance: The annual energy consumption the annual energy consumption the software used to simulate the building is being designed Energy Star. BOP form attached	verification using on of this the annual using a led. The	Subsections Subsections (1) Su	on 2.1.1. SB- s designed is y use of the b age of	Windows/Sliding Glass Skylights  Mechanicals Space Heating Equip. <sup>2</sup> HRV Efficiency (%) DHW Heater (EF) NOTES 1. Provide U-Value in W/m2. 2. Provide AFUE or indicate sections if SB-12 Performance 12 Package	K, or ER rating if condensing type condensing type on the condensing type on the condensity of the con	erGuide80 options used]		
Ceiling without Attic Space Exposed Floor Walls Above Grade Basement Walls Slab (all >600mm below grade) Slab (edge only ≤600mm below grade, or he Slab (all ≤600mm below grade, or he E. Performance Design SB-12 Performance: The annual energy consumption the annual energy consumption the software used to simulate the building is being designed Energy Star. BOP form attached Energy Star and EnerGuide80 Evaluator/Advisor/Rater Name:  F. Declaration [by the person	verification using on of this the annual using a sed. The	Subsections to Subsections of Subsec	on 2.1.1. SB-s designed is y use of the tage ofbe labeled on the tage ofbe responsibility	Windows/Sliding Glass Skylights  Mechanicals Space Heating Equip.² HRV Efficiency (%) DHW Heater (EF) NOTES 1. Provide U-Value in W/m2. 2. Provide AFUE or indicate sections if SB-12 Performance 12 Package	K, or ER rating if condensing type condensing type condensing type condensing type condensity.	erGuide80 options used]		
Ceiling without Attic Space Exposed Floor Walls Above Grade Basement Walls Slab (all >600mm below grade) Slab (edge only ≤600mm below grade, or he Slab (all ≤600mm below grade, or he E. Performance Design SB-12 Performance: The annual energy consumption The annual energy consumption The software used to simulate the building is being designed Energy Star. BOP form attached Energy Star and EnerGuide80 Evaluator/Advisor/Rater Name:	verification using on of this the annual using a led. The	Subsections shouse as the subsection of the subs	on 2.1.1. SB-s designed is y use of the tage of be labeled on the lage of be responsibility d with the permi	Windows/Sliding Glass Skylights  Mechanicals  Space Heating Equip. <sup>2</sup> HRV Efficiency (%) DHW Heater (EF) NOTES 1. Provide U-Value in W/m2. 2. Provide AFUE or indicate sections if SB-12 Performance air changes per hour on completion by:  Evaluator/Advisor/Rater Licenter for the energy efficiency design than placetion.	K, or ER rating if condensing type condensing type condensing type condensing type condensing type condensing type condensity type contained on this contained on this	ig (1 Gj =1000Mj)		

# **Guide to the Energy Efficiency Design Summary Form**

The Energy Efficiency Design Summary form summarizes the compliance path used by a house designer to comply with energy efficiency requirements of the Ontario Building Code. This form is completed by the person responsible for the energy efficiency design of the project, and must be submitted with the building permit application. The information on this form MUST reflect the drawings and specifications being submitted, or the building permit will be refused. Refer to Supplementary Standard SB-12 for details about building code compliance requirements. Further information about energy efficiency requirements for new buildings is available from the provincial building code website at <a href="https://www.mah.gov.on.ca">www.mah.gov.on.ca</a>, or the municipal building department.

Beginning January 1, 2012, a house designer must use one of four energy efficiency compliance options in the building code:

- 1. Comply with the SB-12 Prescriptive design tables,
- 2. Use the <u>SB-12 Performance</u> compliance method, and model the design against the prescriptive standards,
- 3. Design to Energy Star standards, or
- 4. Evaluate the design according to EnerGuide technical procedures and achieve a rating of 80 or more.

#### COMPLETING THE FORM

#### **B.** Compliance Options

Indicate the compliance option being used.

- <u>SB-12 Prescriptive</u> requires that the building conforms to a package of thermal insulation, window and
  mechanical system efficiency requirements set out in Subsection 2.1.1. of SB-12. Energy efficiency design
  modeling and testing of the building is not required under this option.
- <u>SB-12 Performance</u> refers to the alternative method of compliance set out in Subsection 2.1.2, of SB-12.
  Using this approach the designer must use recognized energy simulation software (HOT2000 V9.34c1.2 or newer), and submit documents which show that the annual energy use of the building is equal to a prescriptive package.
- <u>Energy Star</u> houses must be designed to <u>Energy Star</u> requirements and be labelled on completion by Enerquality or other agency. The <u>Energy Star</u> BOP form must be submitted with the permit documents.
- <u>EnerGuide80</u> houses are validated by NRCan authorized energy advisors and must achieve a rating of 80 or more when evaluated in accordance with EnerGuide administrative and technical procedures.

#### C. Project Design Conditions

Climatic Zone: The number of degree days for Ontario cities is contained in Supplementary Standard SB-1 Windows, Skylights and Glass Doors: If the ratio of the total gross area of windows, sidelights, skylights and glass doors to the total gross area of walls is more than 17%, higher efficiency glazing is required. If the ratio is more than 22% the SB-12 Prescriptive option may not be used. The total area is the sum of all the structural rough openings. Some exceptions apply. Refer to 2.1.1.1. of SB-12 for further details. Fuel Source and Heating Equipment Efficiency: The fuel source and efficiency of the proposed heating equipment must be specified in order to determine which SB-12 Prescriptive compliance package table applies. Other Building Conditions: These construction conditions affect SB-12 Prescriptive compliance requirements.

#### D. Building Specifications

Thermal Insulation: Indicate the RSI or R-value being proposed where they apply to the house design. Under the <u>SB-12 Prescriptive</u> option, RSI 3.52 wall insulation is permitted in certain conditions where other design elements meet higher standards. Refer to SB-12 for further details.

#### E. Performance Design Summary

This section is not required to be completed if the <u>SB-12 Prescriptive</u> option is being used.

#### AIRTIGHTNESS REQUIREMENTS FOR NEW HOUSES

All houses must comply with increased air barrier requirements in the building code. Notice of air barrier completion must be provided and an inspection conducted prior to it being covered. A blower door test to verify the air tightness of the house must be conducted during construction if the <u>NRCan EnerGuide80</u> option is used, or if the <u>SB-12 Performance</u> or <u>Energy Star</u> options are used and an air tightness of less than 2.5 ACH @ 50 Pa in the case of detached houses, or 3.0 ACH @ 50 Pa in the case of attached houses is necessary to meet the required energy efficiency standard.

#### **ENERGY EFFICIENCY LABELING FOR NEW HOUSES**

Energy Star and EnerGuide issue labels for new homes constructed under their energy efficiency programs. The building code does not regulate new home labelling.

### SCHEDULE 'A'

# Plumbing Information

Owner Name:		Address of Proposed Work:					
Plumber:	Municipality:						
Please list the number of fixtu	res per floor on t	he folk	owing char	t. (new or	relocated	<u> </u>	
FLOOR	Basement	1	2	3	4	Total Number	
Toilet							
Bath tub							
Wash basin							
Kitchen sink							
Laundry tubs							
Floor drain							
Showers							
Urinal					٠.		
Clothes washer							
Dish washer - domestic							
Other sinks							
Drinking fountain							
Hot water heater							
Sewage Pump							
Grease Interceptor							
TOTAL							
No. of Dwelling Units	R.W.L.		and the second s	Wa	iter Lines		
Soil Vent Stacks	Sanitary La	Sanitary Lateral			Oil Interceptor		
Catch Basin	Storm Later	Storm Lateral			Backflow Preventer		
Lawn Sprinkler System							
Signature	_				Date	<u> </u>	